## SAFETY DATA SHEET



## 1. Identification

**Product identifier NOVOCOAT™ HF1200 EPOXY PART A** 

Other means of identification None

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2B Sensitization, skin Category 1B

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word Warning

**Hazard statement** Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation.

**Precautionary statement** 

**Prevention** Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated

work clothing must not be allowed out of the workplace. Wear protective gloves.

Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. IF Response

> IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

Store in accordance with local/regional/national regulations. **Storage** 

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

SDS US 5992 Version #: 02 Revision date: 10-29-2021 Issue date: 10-30-2020 1/7

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL		25068-38-6	85 - 100
A-(EPICHLOROHYDRIN) EPOXY			
RESIN			

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

Most important

symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special

treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do so without risk.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and

place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

**Precautions for safe handling** Avoid prolonged exposure. Observe good industrial hygiene practices.

Material name: NOVOCOAT™ HF1200 EPOXY PART A

Conditions for safe storage,

including any incompatibilities Store in original tightly closed container.

## 8. Exposure controls/personal protection

**Occupational exposure limits** 

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. **Form** Liquid.

Color Not available. Odor Not available. **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available.

Initial boiling point and

boiling range

302 °F (150 °C) estimated

Flash point 482.0 °F (250.0 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit upper (%)

**Explosive limit - lower** 

(%)

Not available.

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available. Vapor density Not available. **Relative density** Not available.

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

Material name: NOVOCOAT™ HF1200 EPOXY PART A

5992 Version #: 02 Revision date: 10-29-2021 Issue date: 10-30-2020 3/7 **Viscosity** Not available.

Other information

**Density** 9.42 lb/gal estimated 1.13 estimated Specific gravity

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization can occur with elevated temperatures.

Conditions to avoid High temperatures. Keep away from sources of ignition - No smoking.

**Incompatible materials** This product may react with strong oxidizing agents. This product may react with strong acids. This

product may react with strong alkalies. Fluoride. Peroxides.

Hazardous decomposition

products

If product is burned hazardous gases such as oxides of carbon and nitrogen and various hydrocarbons may be produced. Upon combustion, oxides of chlorine may be released.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation May cause sensitization by inhalation.

Skin contact Causes skin irritation. **Eye contact** Causes eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

#### Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product

contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the

normal routes of exposure are unavailable.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### **US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects

Specific target organ toxicity

Not classified.

- single exposure

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not available.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** Accumulation in aquatic organisms is expected. This product has no known eco-toxicological

effects. Not expected to be harmful to aquatic organisms.

**Product Species Test Results** 

NOVOCOAT™ HF1200 EPOXY PART A

**Aquatic** 

Crustacea EC50 Daphnia 2.9249 mg/l, 48 hours estimated Fish LC50 Fish 1.625 mg/l, 96 hours estimated

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Mobility in soil Not available. Other adverse effects Not available.

## 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations.

Contaminated packaging Offer rinsed packaging material to local recycling facilities.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

**UN number** UN3082

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL

A-(EPICHLORHYDRIN) EPOXY RESIN), MARINE POLLUTANT

Transport hazard class(es)

Class 9 **Subsidiary risk Packing group** III


**Environmental hazards** 

Marine pollutant Yes F-A, S-F **EmS Special precautions for** Not available.

**Transport in bulk according to** Not available. Annex II of MARPOL 73/78

and the IBC Code

**IMDG** 



Material name: NOVOCOAT™ HF1200 EPOXY PART A

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### **Marine pollutant**



# 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

**Classified hazard** Skin corrosion or irritation

**categories** Serious eye damage or eye irritation

Respiratory or skin sensitization

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)
US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

Material name: NOVOCOAT™ HF1200 EPOXY PART A

SDS US

Country(s) or regionInventory nameOn inventory (yes/no)\*New ZealandNew Zealand InventoryYes

New ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 10-30-2020

 Revision date
 10-29-2021

Version # 02

**Further information** HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings Health: 2 Flammability: 0

Instability: 0

**References** ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: NOVOCOAT™ HF1200 EPOXY PART A

5992 Version #: 02 Revision date: 10-29-2021 Issue date: 10-30-2020 7 / 7

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)