SAFETY DATA SHEET



1. Identification

Product identifier SP15XX Series Part B Coating and Lining (All Colors)

Other means of identification

SP2000, SP2030, SP2050, SP2110, SP2300, SP2400, SP2500, SP2530, SP2550, SP2600, SP2900, **Synonyms**

SP2000 AR, EL2010, EL2310, EL2340, EL2350, EL2510, EL2540, EL2550

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive

Jackson, MS 39232

USA

After hours telephone

1-800-222-7122

number

Normal work hours

1-877-982-7667

telephone number Website

www.ergonarmor.com sds@ergon.com

Emergency 24-hour

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

telephone number Information on operation

8:00 a.m. to 5:00 p.m.

hours

E-mail

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 1 Sensitization, respiratory Category 1 Sensitization, skin Category 1A Reproductive toxicity Category 2 Specific target organ toxicity, single exposure Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause

allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause damage

to organs through prolonged or repeated exposure.

Material name: SP15XX Series Part B Coating and Lining (All Colors) 4850 Version #: 11 Revision date: 02-04-2020 Issue date: 08-29-2016 **Precautionary statement**

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

> and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a

well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eve protection/face protection. In case of inadequate

ventilation wear respiratory protection.

Response IF ON SKIN: Wash with plenty of soap and water. Specific treatment see Section 4 of this SDS. If

skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If exposed or concerned: Get medical advice/attention.

Store locked up. Store in a well-ventilated place. Keep container tightly closed. **Storage**

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BENZYL ALCOHOL		100-51-6	0 - 40
[3-(aminoethyl)phenyl]methanamin e		1477-55-0	5 - < 10
PHENOL, 4-NONYL-, BRANCHED		84852-15-3	5 - < 10
3-AMINOPROPYLTRIETHOXYSILANE		919-30-2	1 - 10
Other components below reportable	levels		59.84

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Wash Skin contact

contaminated clothing before reuse.

Eye contact Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for

firefighters

SDS US

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Value

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any

Store in original tightly closed container.

incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	
[3-(aminoethyl)phenyl]meth	Ceiling	0.1 mg/m3	
anamine (CAS 1477-55-0)			

US. NIOSH: Pocket Guide to Chemical Hazards

Components	туре	value	
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	

No biological exposure limits noted for the ingredient(s).

Biological limit values Exposure guidelines

US - California OELs: Skin designation

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined Appropriate engineering

controls occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Wear safety glasses; chemical goggles (if splashing is possible). Eye/face protection

Material name: SP15XX Series Part B Coating and Lining (All Colors)

SDS US 4850 Version #: 11 Revision date: 02-04-2020 Issue date: 08-29-2016

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance Liquid. **Physical state** Liquid. **Form** Liquid.

Color Golden to Light Amber Odor Ammoniacal, Amine-like,

Odor threshold Not available. Alkaline

Melting point/freezing point Initial boiling point and

4.64 °F (-15.2 °C) estimated 212 °F (100 °C) estimated

boiling range

Flash point > 199.4 °F (> 93.0 °C) estimated

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower 3 % estimated

(%)

Flammability limit -

upper (%)

10 % estimated

Explosive limit - lower

(%)

Not available.

Not available.

Explosive limit - upper

(%)

Vapor pressure Not available. Not available. Vapor density **Relative density** Not available.

Solubility(ies)

Solubility (water) **Partial**

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 644 °F (340 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Density 8.31 lb/gal estimated

Specific gravity 1

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May be harmful if swallowed and enters airways. May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin contact Irritating to skin.

Eve contact Causes serious eye damage.

Ingestion May be harmful if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components **Test Results Species** BENZYL ALCOHOL (CAS 100-51-6) **Acute Dermal** LD50 Rabbit 2000 mg/kg **Inhalation** LC50 Rat 1000 mg/l, 8 Hours

Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes skin irritation. Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled Skin sensitization Causes skin irritation. May cause allergic skin disorders in sensitive individuals.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product Carcinogenicity

contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the

normal routes of exposure are unavailable.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity single exposure

Skin Lungs. Nasal mucous membranes. Eyes.

Specific target organ toxicity

- repeated exposure

Skin. Respiratory system.

Aspiration hazard Not available.

12. Ecological information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms.

Material name: SP15XX Series Part B Coating and Lining (All Colors)

^{*} Estimates for product may be based on additional component data not shown.

Product Species Test Results

SP15XX Series Part B Coating and Lining (All Colors)

Aquatic

Crustacea EC50 Daphnia 0.5477 mg/l, 48 hours estimated Fish LC50 Fish 1.7856 mg/l, 96 hours estimated

Components Species Test Results

BENZYL ALCOHOL (CAS 100-51-6)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 10 mg/l, 96 hours

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

Aquatic

Crustacea EC50 Clam (Mulinia lateralis) 0.0379 mg/l, 48 hours
Fish LC50 Winter flounder (Pleuronectes 0.017 mg/l, 96 hours

americanus)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

BENZYL ALCOHOL 1.1 PHENOL, 4-NONYL-, BRANCHED 5.71

Mobility in soil No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) 1.0 % One-Time Export Notification only.

TSCA Chemical Action Plans, Chemicals of Concern

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

^{*} Estimates for product may be based on additional component data not shown.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
PHENOL, 4-NONYL-, BRANCHED	84852-15-3	5 - < 10	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 08-29-2016 **Revision date** 02-04-2020

Version # 11

Material name: SP15XX Series Part B Coating and Lining (All Colors)

4850 Version #: 11 Revision date: 02-04-2020 Issue date: 08-29-2016

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

NFPA ratings Health: 4

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Hazard(s) identification: Response

HazReg Data: International Inventories

Material name: SP15XX Series Part B Coating and Lining (All Colors)
4850 Version #: 11 Revision date: 02-04-2020 Issue date: 08-29-2016