# **SAFETY DATA SHEET**



# 1. Identification

Product identifier	NOVOCOAT™ SC1100 PRIMER/SEALER PART A RESIN (ALL COLORS), NOVOCOAT™ SC1100 PRIMER/SEALER FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS)	
Other means of identification	None.	
Recommended use	Primer or coating for concrete and steel	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supp	lier/Distributor information	
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.	
Address	2829 Lakeland Drive	
	Jackson, MS 39232	
	USA	
After hours telephone number	1-800-222-7122	
Normal work hours telephone number	1-877-982-7667	
Website	www.ergonarmor.com	
E-mail	sds@ergon.com	
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887	
Information on operation hours	8:00 a.m. to 5:00 p.m.	

### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
	$\wedge$	
	$\sim$	
Signal word	Warning	
Hazard statement	Causes skin irritation. Causes eye irritati life with long lasting effects.	on. May cause an allergic skin reaction. Toxic to aquatic
Precautionary statement	t	
Prevention	Wash thoroughly after handling. Wear protective gloves. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.	
Response	IF ON SKIN: Wash with plenty of soap and water. Specific treatment see Section 4 of this SDS. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.	
Storage	Store away from incompatible materials	
Disposal	Dispose of contents/container in accord	ance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN		25068-38-6	75 - 85
PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER		28064-14-4	5 - 15
Other components below reportable levels			10.5111

Other components below reportable levels

# 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing before reuse. Wash clothing separately before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Irritation of eyes.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Wash contaminated clothing before reuse. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to

### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Alcohol foam. Foam. Dry chemical powder. Carbon dioxide (CO2). Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire fighting equipment/instructions	In the event of fire, cool tanks with water spray. Cool containers exposed to flames with water until well after the fire is out. Water runoff can cause environmental damage.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	No unusual fire or explosion hazards noted.

the doctor in attendance.

### 6. Accidental release measures

Personal precautions, protective equipment and	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor.
emergency procedures	Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do
	not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Extinguish all flames in the vicinity. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. When using do not eat or drink. Do not

	get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Observe good industrial hygiene practices. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Keep away from food, drink and animal feedingstuffs.

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
•	es, such as personal protective equipment
Eye/face protection	Face shield is recommended. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment

to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	302 °F (150 °C) estimated
Flash point	482.0 °F (250.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

#### Upper/lower flammability or explosive limits

opper/lower nannability of e	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.01 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	9.15 lbs/gal estimated
Specific gravity	1.096 estimated

### **10. Stability and reactivity**

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under normal temperature conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

### **11.** Toxicological information

#### Information on likely routes of exposure

Inhalation	May be harmful if inhaled.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes eye irritation.
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

#### Information on toxicological effects

#### Acute toxicity

#### Product Species

**Test Results** 

NOVOCOAT<sup>™</sup> SC1100 PRIMER/SEALER PART A RESIN (ALL COLORS), NOVOCOAT<sup>™</sup> SC1100 PRIMER/SEALER FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS), NOVOLITE REPAIR MORTAR FC PART A RESIN (ALL COLORS))

<b>Acute</b> Dermal LD50	Rabbit	1.504e+009 mg/kg
Inhalation LC50	Rat	15640 mg/l, 4 Hours
<b>Oral</b> LD50	Rat	9.785e+008 mg/kg

\* Estimates for product may be based on additional component data not shown.

Not known.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye irritation	Causes eye irritation.			
Respiratory or skin sensitizati	on			
Respiratory sensitization	Not a respirat	tory sensitizer.		
Skin sensitization	Causes skin in sensitive indiv	rritation. May cause an allergic skin reactivivitation.	on. May cause allergic skin disorders in	
Germ cell mutagenicity	No data availa mutagenic or	able to indicate product or any componen genotoxic.	ts present at greater than 0.1% are	
Carcinogenicity	This product	is not considered to be a carcinogen by I	ARC, ACGIH, NTP, or OSHA.	
<ul> <li>IARC Monographs. Overall Evaluation of Carcinogenicity Not listed.</li> <li>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed.</li> <li>US. National Toxicology Program (NTP) Report on Carcinogens Not listed.</li> </ul>				
Reproductive toxicity	This product	is not expected to cause reproductive or o	developmental effects.	
Specific target organ toxicity - single exposure	Not classified			
Specific target organ toxicity - repeated exposure	Not classified	Not classified.		
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological information	on			
Ecotoxicity	Contains a su	bstance which causes risk of hazardous e	ffects to the environment.	
Product		Species	Test Results	
(ALL COLORS), NOVOLITE RE COLORS)			SC1100 PRIMER/SEALER FC PART A RESIN E REPAIR MORTAR FC PART A RESIN (ALL	
Aquatic				
Crustacea	EC50	Daphnia	3.3809, 48 hours	
Fish	LC50	Fish	1.8834, 96 hours	
Acute				
Crustacea	EC50	Daphnia	692.1322, 48 hours estimated	
Fish	LC50	Fish	2254.6829, 96 hours estimated	
Components		Species	Test Results	

PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER (CAS 28064-14-4)

Aquatic			
Acute			
Fish	LC50	Fish	> 1 - < 10 mg/l

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

<b>Bioaccumulative potential</b>	
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport informatio	n
DOT	
Not regulated as dangerous go	oods.
IATA	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLOROHYDRIN) EPOXY
	RESIN, PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Not available.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN, PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Not available.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
IATA; IMDG	

9

Marine pollutant



IMDG Regulated Marine Pollutant.

### 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

### SARA 311/312 Hazardous Yes

cne	em	ical	

Classified hazard	Skin corrosion or irritation
categories	Serious eye damage or eye irritation
	Respiratory or skin sensitization

#### SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

New Zealand

Other rederal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	WARNING: This product contains a chemical known to the State of C defects or other reproductive harm.	alifornia to cause birth
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

New Zealand Inventory

Yes

Country(s) or region	Inventory name On inventory	(yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	02-22-2021
Revision date	06-12-2023
Version #	04
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Storage Composition/information on ingredients: Component information Fire-fighting measures: Suitable extinguishing media Handling and storage: Precautions for safe handling GHS: Classification