## SAFETY DATA SHEET



### 1. Identification

Product identifier HB™ Mortar Powder

Other means of identification None.

**Recommended use**Not available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

number

e 1-800-222-7122

Normal work hours telephone number

1-877-982-7667

Website www.ergonarmor.com
E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Carcinogenicity Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated

Category 1

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** May cause respiratory irritation. Causes damage to organs through prolonged or repeated

exposure. May cause cancer.

**Precautionary statement** 

**Prevention** Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat,

drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

**Response**IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell. IF exposed or concerned: Get medical

advice/attention.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

Material name: HB<sup>TM</sup> Mortar Powder SDS US 1/6 Version #: 01 Issue date: 12-01-2022 1/6

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	30 - 50
WATER		7732-18-5	< 2
Other components below	reportable levels		58.86001

#### 4. First-aid measures

**Inhalation** Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. If

breathing is difficult, give oxygen. Get medical attention.

**Skin contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash

contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

**Eye contact**In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15

minutes. Get medical attention.

**Ingestion** Do not induce vomiting without advice from poison control center. Never give anything by mouth

to a victim who is unconscious or is having convulsions. Get medical attention.

**Most important** Not available.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

Symptoms may be delayed.

**General information** IF exposed or concerned: Get medical advice/attention. Keep victim warm. Keep victim under

observation. Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Unsuitable extinguishing

media

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment and precautions for

firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

**Specific methods** Cool containers exposed to flames with water until well after the fire is out.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up.

Methods and materials for containment and cleaning up

Not available.

**Environmental precautions** 

No specific precautions.

# 7. Handling and storage

**Precautions for safe handling** 

Conditions for safe storage, including any

incompatibilities

Do not breathe dust. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation. Keep container tightly closed. Keep out of reach of children. Store in a cool, dry place. Use care in handling/storage.

Material name: HB™ Mortar Powder

5225 Version #: 01 Issue date: 12-01-2022

## 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Type	Value	Form
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 191 Components	0.1000) Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Value Components	es Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Cher Components	mical Hazards Type	Value	Form

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

TWA

**Appropriate engineering** 

controls

QUARTZ (CAS 14808-60-7)

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

0.05 mg/m3

Respirable dust.

occupational exposure limit is not exceeded.

## Individual protection measures, such as personal protective equipment

Eye/face protection Goggles/face shield are recommended.

Skin protection

**Hand protection** Wear protective gloves.

Other Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10%

or more of this chemical.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment

to remove contaminants.

### 9. Physical and chemical properties

**Appearance** Powder. Solid. Physical state **Form** Powder

Color Light tan to gray.

Odor Odorless. Odor threshold Not available. pΗ Not available. Melting point/freezing point Not available. Initial boiling point and Not available. boiling range Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

**Explosive limit - lower** Not available.

(%)

**Explosive limit - upper** Not available.

(%)

Material name: HB™ Mortar Powder 5225 Version #: 01 Issue date: 12-01-2022 Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

## 10. Stability and reactivity

**Reactivity** Not Reactive

**Chemical stability** Material is stable under normal conditions.

**Possibility of hazardous** 

reactions

Not available.

**Conditions to avoid** None under normal conditions.

**Incompatible materials** Strong oxidizing agents. Strong bases.

Hazardous decomposition

products

Oxides of silicon.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Inhalation of dusts may cause respiratory irritation.

Skin contactDust or powder may irritate the skin.Eye contactDust in the eyes will cause irritation.IngestionExpected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

## Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

Serious eye damage/eye

Not available.

Not available.

May irritate eyes.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** May irritate eyes and skin.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** May cause cancer.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7) Cancel

### **US. National Toxicology Program (NTP) Report on Carcinogens**

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity** Not classified.

**Specific target organ toxicity** May cause respiratory irritation.

- single exposure

Specific target organ toxicity

Causes damage to organs through prolonged or repeated exposure by inhalation. Lungs. Silicosis.

repeated exposure

**Aspiration hazard** Not available.

Material name: HB™ Mortar Powder

5225 Version #: 01 Issue date: 12-01-2022

4 / 6

## 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Persistence and degradability
Bioaccumulative potential
Mobility in soil

Other adverse effects

Not available.

Not available.

Not available.

## 13. Disposal considerations

**Disposal instructions** Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Offer rinsed packaging material to local recycling facilities.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7) Cancer

lung effects

immune system effects

kidney effects

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Carcinogenicity

**categories** Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

Material name: HB<sup>™</sup> Mortar Powder 5225 Version #: 01 Issue date: 12-01-2022

## US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

QUARTZ (CAS 14808-60-7)

### **California Proposition 65**

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

**QUARTZ (CAS 14808-60-7)** Listed: October 1, 1988

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

**Issue date** 12-01-2022

Version # 01

**Further information** HMIS® is a registered trade and service mark of the NPCA.

References

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US, IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer** 

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

**Revision information** Hazard(s) identification: Response

6/6 5225 Version #: 01 Issue date: 12-01-2022

Material name: HB™ Mortar Powder

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).