SAFETY DATA SHEET



1. Identification

PC 1000 RESIN **Product identifier**

Other means of identification None.

Recommended use Vinyl ester mortar **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

number

1-800-222-7122

Normal work hours

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Flammable liquids Category 3 **Health hazards** Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

> Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Wear protective gloves/protective clothing/eye protection/face protection. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Observe good industrial hygiene practices. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Material name: PC 1000 RESIN SDS US

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Response

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Specific treatment see Section 4 of this SDS. If skin irritation occurs: Get medical advice/attention. In case of fire: Use appropriate media to extinguish. Call a POISON CENTER/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. Wash hands after handling.

Keep cool. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Vinyl ester resin		N/A	90 - 100
Proprietary		N/A	<1
Other components below	reportable levels		0.52

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing, Launder contaminated

clothing before reuse. Get medical attention if irritation develops and persists.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that Ingestion

stomach vomit doesn't enter the lungs. Never give anything by mouth to a victim who is

unconscious or is having convulsions. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

May cause eye irritation. Irritation of eyes. May cause respiratory irritation. Irritating to mouth, throat, and stomach. Diarrhea. Nausea, vomiting. Exposure may cause temporary irritation,

redness, or discomfort.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Alcohol resistant foam.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Carbon monoxide and carbon dioxide.

Hydrocarbons. Burning produces noxious and toxic fumes.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Remove sources of ignition. Ensure adequate ventilation. Wear suitable protective clothing and gloves.

Material name: PC 1000 RESIN SDS US Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices. Avoid contact with eyes, skin,

and clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid heat, sparks, open flames

and other ignition sources.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep container in a well-ventilated place. Store locked up. Store in a cool place.

8. Exposure controls/personal protection

Occupational exposure limits This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit At this time, the other constituents have no known exposure limits.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Not available. Not available. Odor **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

84.9 °F (29.4 °C)

Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -Not available.

upper (%)

Material name: PC 1000 RESIN SDS US

7217 Version #: 01 Issue date: 06-16-2021

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.
(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Specific gravity1.05 g/mL @ 25°C

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. Sunlight.

Incompatible materials Strong oxidizing agents. Copper and copper alloys. Metal salts. Peroxides. Bases. Aluminum

chlorides. Aluminum. Iron chloride. Acids.

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide. Hydrocarbons. Acetone.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. Expected to be a low ingestion hazard

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Irritating to mouth, throat, and stomach.

782 mg/kg

Nausea, vomiting. Diarrhea. Shortness of breath.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Proprietary		
<u>Acute</u>		
Oral		

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

LD50

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Rat

Skin sensitization This product is not expected to cause skin sensitization.

Material name: PC 1000 RESIN
7217 Version #: 01 Issue date: 06-16-2021

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects

Specific target organ toxicity

- single exposure

May cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

May cause damage to organs through prolonged or repeated exposure. Auditory organs.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Test Results Species PC 1000 RESIN Aquatic EC50 Crustacea Daphnia 714.2857 mg/l, 48 hours estimated Fish LC50 Fish 11714.2861 mg/l, 96 hours estimated **Components Species Test Results Proprietary Aquatic** Crustacea EC50 Water flea (Daphnia magna) 1 - 1.6 mg/l, 48 hours LC50 Fathead minnow (Pimephales promelas) 16.4 mg/l, 96 hours Fish

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Proprietary 3.31

Mobility in soil No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge

into drains, water courses or onto the ground. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Material name: PC 1000 RESIN

DOT

UN number UN1866

7217 Version #: 01 Issue date: 06-16-2021

UN proper shipping name Resin solution, flammable

Transport hazard class(es)

Class 3 **Subsidiary risk** 3 Label(s) Packing group III

Special precautions for

Special provisions

user

Read safety instructions, SDS and emergency procedures before handling.

Packaging exceptions 150 Packaging non bulk 173 **Packaging bulk** 242

IATA

UN number UN1866

UN proper shipping name Resin solution flammable

B1, B52, IB3, T2, TP1

Transport hazard class(es) Class 3 **Subsidiary risk Packing group** III **Environmental hazards** No. **ERG Code** 3L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1866

UN proper shipping name RESIN SOLUTION flammable

Transport hazard class(es) Class 3 **Subsidiary risk** Packing group III**Environmental hazards**

Marine pollutant No. F-E, <u>S</u>-<u>E</u> **EmS**

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

DOT



Material name: PC 1000 RESIN SDS US

IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Proprietary (CAS N/A) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Proprietary (CAS N/A)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Material name: PC 1000 RESIN SDS US

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Taiwan Chemical Substance Inventory (TCSI) Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico

16. Other information, including date of preparation or last revision

06-16-2021 **Issue date**

Version # 01

Taiwan

NFPA ratings Health: 2

Flammability: 2 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: PC 1000 RESIN SDS US

Yes

Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing