SAFETY DATA SHEET



1. Identification

Product identifier NOVOCOAT™ R1900 QUICK REPAIR PART A

Other means of identification None.

Recommended useNot available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

HS

After hours telephone

number

Normal work hours

telephone number

Website www.ergonarmor.com

E-mail sds@ergon.com

Emergency 24-hour

telephone number

Information on operation

8:00 a.m. to 5:00 p.m.

1-800-222-7122

1-877-982-7667

hours

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2
Sensitization, skin Category 1
Carcinogenicity Category 1B
Reproductive toxicity Category 2

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer. Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective

gloves/protective clothing/eye protection/face protection.

Response Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. IF

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: NOVOCOAT™ R1900 QUICK REPAIR PART A
5876 Version #: 04 Revision date: 06-09-2023 Issue date: 06-15-2020

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN		25068-38-6	30 - 50
CASHEW, NUTSHELL LIQ.,GLYCIDYL ETHERS		171263-25-5	1 - 10
QUARTZ		14808-60-7	1 - 10
EPICHLOROHYDRIN		106-89-8	0.11
Other components below reportable I	levels		54.972

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation Eye contact

persists after washing.

Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that **Ingestion**

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed General information Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for

firefighters Fire fighting

Move containers from fire area if you can do so without risk.

During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

equipment/instructions

Specific methods

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Material name: NOVOCOAT™ R1900 QUICK REPAIR PART A 5876 Version #: 04 Revision date: 06-09-2023 Issue date: 06-15-2020

7. Handling and storage

Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities Store in original tightly closed container.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value	Form
EPICHLOROHYDRIN (CAS 106-89-8)	PEL	19 mg/m3	
		5 ppm	
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 191	10.1000)		
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	Form
EPICHLOROHYDRIN (CAS 106-89-8)	TWA	0.5 ppm	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	Form

Biological limit values

OUARTZ (CAS 14808-60-7)

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

TWA

US - Minnesota Haz Subs: Skin designation applies

EPICHLOROHYDRIN (CAS 106-89-8) Skin designation applies.

US - Tennessee OELs: Skin designation

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

EPICHLOROHYDRIN (CAS 106-89-8) Danger of cutaneous absorption

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

0.05 mg/m3

Respirable dust.

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment

to remove contaminants.

Material name: NOVOCOAT™ R1900 QUICK REPAIR PART A

5876 Version #: 04 Revision date: 06-09-2023 Issue date: 06-15-2020

9. Physical and chemical properties

Appearance Viscous liquid

Physical state Liquid.
Form Liquid.
Color Beige.
Odor Benign

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and

boiling range

212 °F (100 °C) estimated

Flash point > 500.0 °F (> 260.0 °C) Tag Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Explosive limit - lower Not available.

(%)

Explosive limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.
(n-octanol/water)

Auto-ignition temperature

erature Not available.

Decomposition temperature > 1112 °F (> 600 °C)

Viscosity Not available.

Other information

Density 14.85 lb/gal estimated **Specific gravity** 1.779 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Product Species Test Results

NOVOCOAT™ R1900 QUICK REPAIR PART A

<u>Acute</u>

Dermal

LD50 Rabbit 272700 mg/kg

Oral

LD50 Rat 35360 mg/kg **Species Test Results** Components

EPICHLOROHYDRIN (CAS 106-89-8)

<u>Acute</u> **Dermal**

LD50 Rabbit 300 mg/kg

Oral

LD50 Rat 40 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Causes skin irritation. May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

EPICHLOROHYDRIN (CAS 106-89-8) 2A Probably carcinogenic to humans.

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

US. National Toxicology Program (NTP) Report on Carcinogens

EPICHLOROHYDRIN (CAS 106-89-8) Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen. QUARTZ (CAS 14808-60-7)

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms.

Test Results Product Species

NOVOCOAT™ R1900 QUICK REPAIR PART A

Aquatic

Crustacea EC50 Daphnia 1.067, 48 hours Fish LC50 4.476, 96 hours Fish

Acute

Crustacea EC50 Daphnia 1.2297, 48 hours estimated Fish LC50 Fish 18.75, 4 days estimated

Material name: NOVOCOAT™ R1900 QUICK REPAIR PART A

5876 Version #: 04 Revision date: 06-09-2023 Issue date: 06-15-2020

^{*} Estimates for product may be based on additional component data not shown.

Components **Species Test Results**

EPICHLOROHYDRIN (CAS 106-89-8)

Aquatic Acute

Fish LC50 Fathead minnow (Pimephales promelas) >= 9.1 - <= 12.3 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

EPICHLOROHYDRIN 0.45

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

Dispose of in accordance with local regulations. Empty containers or liners may retain some unused products product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

EPICHLOROHYDRIN (CAS 106-89-8) Listed.

SARA 304 Emergency release notification

Oxirane, (chloromethyl)- (CAS 106-89-8) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7) Cancer

lung effects

immune system effects

kidney effects

Material name: NOVOCOAT™ R1900 QUICK REPAIR PART A 5876 Version #: 04 Revision date: 06-09-2023 Issue date: 06-15-2020

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable **Threshold Threshold Threshold** quantity planning quantity planning planning quantity, lower (pounds) (pounds) quantity, upper value (pounds) value (pounds)

100 1000 **EPICHLOROHYDRIN** 106-89-8

SARA 311/312 Hazardous Yes

chemical

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

Respiratory or skin sensitization

Carcinogenicity Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. **EPICHLOROHYDRIN** 106-89-8 0.11

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

EPICHLOROHYDRIN (CAS 106-89-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

EPICHLOROHYDRIN (CAS 106-89-8) **Safe Drinking Water Act** Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

EPICHLOROHYDRIN (CAS 106-89-8) QUARTZ (CAS 14808-60-7)

California Proposition 65



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

EPICHLOROHYDRIN (CAS 106-89-8) Listed: October 1, 1987 QUARTZ (CAS 14808-60-7) Listed: October 1, 1988 California Proposition 65 - CRT: Listed date/Male reproductive toxin

EPICHLOROHYDRIN (CAS 106-89-8) Listed: September 1, 1996

International Inventories

Country(s) or region	Inventory name On inventory	(yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

06-15-2020 **Issue date Revision date** 06-09-2023

Version # 04

NFPA ratings Health: 2

Flammability: 0 Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Hazard statement Hazard(s) identification: GHS Signal Words

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information

Regulatory information: California Proposition 65

GHS: Classification

Material name: NOVOCOAT™ R1900 QUICK REPAIR PART A