SAFETY DATA SHEET



1. Identification

Product identifier	NOVOCOAT™ SC3900 ADHESIVE PASTE/CAULK PART B	
Other means of identification	None.	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Suppl	ier/Distributor information	
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.	
Address	2829 Lakeland Drive	
	Jackson, MS 39232	
	USA	
After hours telephone number	1-800-222-7122	
Normal work hours telephone number	1-877-982-7667	
Website	www.ergonarmor.com	
E-mail	sds@ergon.com	
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887	
Information on operation hours	8:00 a.m. to 5:00 p.m.	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements	\wedge	
Signal word	Warning	
Hazard statement	Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
Precautionary statement		
Prevention	Wear protective gloves. Wear eye/face protection. Avoid breathing mist or vapor. Avoid release the environment. Wash thoroughly after handling. Use personal protective equipment as require	

recautionary statementPreventionWear protective gloves. Wear eye/face protection. Avoid breathing mist or vapor. Avoid release to
the environment. Wash thoroughly after handling. Use personal protective equipment as required.
Do not handle until all safety precautions have been read and understood. Obtain special
instructions before use. Contaminated work clothing should not be allowed out of the workplace.ResponseSpecific treatment see Section 4 of this SDS. IF exposed or concerned: Get medical
advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously
with water for several minutes. Remove contact lenses, if present and easy to do. Continue
rinsing. Take off contaminated clothing and wash before reuse. If eye irritation persists: Get
medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Collect
spillage.StorageStore locked up.DisposalDispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BENZYL ALCOHOL		100-51-6	15 - 25
[3-(Aminomethyl)phenyl]methanam ne	i	1477-55-0	10 - 20
[(DIMETHYLAMINO)METHYL]PHEN OL		25338-55-0	0 - 5
4,4'-METHYLENEBIS(CYCLOHEXYLA MINE)		1761-71-3	0 - 5
			21.42

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing before reuse. Wash clothing separately before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Alcohol foam. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire fighting equipment/instructions	In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out. Water runoff can cause environmental damage.
Specific methods	In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

asures
Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Extinguish all flames in the vicinity. This product is miscible in water.
Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Never return spills in original containers for re-use.
Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. When using do not eat or drink. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Use personal protective equipment as required. Do not get this material on clothing. Observe good industrial hygiene practices. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling.
Store locked up. Keep away from food, drink and animal feedingstuffs.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
[3-(Aminomethyl)phenyl]me thanamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
US. NIOSH: Pocket Guide to Che			
Components	Туре	Value	
[3-(Aminomethyl)phenyl]me thanamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
US. Workplace Environmental Ex Components	(posure Level (WEEL) Type	Guides Value	
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	
ological limit values No b	ological exposure limits r	oted for the ingredient(s).	
xposure guidelines			
US - California OELs: Skin desigr	nation		
[3-(Aminomethyl)phenyl]methar US - Tennessee OELs: Skin desig		Can be absorbed through the skin.	
[3-(Aminomethyl)phenyl]methan US ACGIH Threshold Limit Value	. ,	Can be absorbed through the skin.	
[3-(Aminomethyl)phenyl]metha US NIOSH Pocket Guide to Chen	· · /	5	
[2 (Aminomothyl) phonyl] motha	amine (CAS 1477-55-0)	Can be absorbed through the skin.	

Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Individual protection measure	es, such as personal protective equipment
Eye/face protection	Chemical goggles and face shield are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Skin protection should include disposable chemical resistant coveralls with hoods. Hand protection should include appropriate chemical resistant disposable gloves, such as nitrile rubber.
Respiratory protection	If in spray application, respiratory protection should include at a minimum a fullface air purifying respirator (APR) with combination particulate (P100) and organic vapor (OV) cartridges. A full-face APR has an assigned protection factor (APF) of 50, as designated by OSHA. As a substitute, a PAPF with a loose-fitting hood could be used as respiratory protection.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Do not get in eyes. Do not get this material in contact with skin. Do not get this material on clothing. Wash hands before breaks and immediately after handling the product. Keep away from food and drink.

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Light Amber to Golden
Odor	Ammoniacal. Amine-like.
Odor threshold	Not available.
рН	Alkaline
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	200.0 °F (93.3 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or ex	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Partial
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.40 lb/gal estimated
Specific gravity	1.006 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with elevated temperatures.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Acids. Alkaline metals. Amines. Peroxides. Fluorine. Chlorine. Phenols. Strong acids, alkalies and oxidizing agents.
Hazardous decomposition products	Toxic gas. If product is burned hazardous gases such as oxides of carbon and nitrogen and various hydrocarbons may be produced. Upon combustion, oxides of chlorine may be released.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. Harmful in contact with skin.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes.

Information on toxicological effects

Acute	toxicity
-------	----------

Components	Species	Test Results
BENZYL ALCOHOL (CAS 100-51-6)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	1000 mg/l, 8 Hours
* Estimates for product may b	e based on additional component data not shown.	
Skin corrosion/irritation	Irritating and may cause redness and pain.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	on	
Respiratory sensitization	Not available.	
Skin sensitization	May cause sensitization by skin contact.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by contains crystalline silica. Silica is a known carcinoge normal routes of exposure are unavailable.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1052)	
Not regulated.	ogram (NTP) Report on Carcinogens	
Not listed.	ogram (NTP) Report on carcinogens	
Reproductive toxicity	This product is not expected to cause reproductive o	r developmental effects
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	

Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity		o aquatic life. Components of this product ganisms is expected.	are hazardous to aquatic life. Accumulation in	
Components		Species	Test Results	
BENZYL ALCOHOL (CAS 100	-51-6)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours	
Persistence and degradabilit	No data is	available on the degradability of this proc	luct.	
Bioaccumulative potential	No data a	No data available.		
Partition coefficient n-oc	tanol / wate			
BENZYL ALCOHOL		1.1		
Mobility in soil	No data a	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal considerat	ions			
Disposal instructions	This produ according user of th	Dispose of contents/container in accordance with local/regional/national/international regulations. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.		
Local disposal regulations	Dispose ir	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste disposal c	-	tween the user, the producer and the waste	
Waste from residues / unused products		This material and its container must be dis	oty containers or liners may retain some product posed of in a safe manner (see: Disposal	

Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
	Since emptied containers may retain product residue, follow label warnings even after container is
	emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s. ([3-(Aminomethyl)phenyl]methanamine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Special precautions for	Not available.
user	
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241
IATA	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s. ([3-(Aminomethyl)phenyl]methanamine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	8L

Special precautions for user	Not available.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. ([3-(Aminomethyl)phenyl]methanamine)
Transport hazard class(es)
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for	Not available.
user	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.
DOT	



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. CERCLA/SARA Hazardous Substances - Not applicable.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

 Not regulated.

 CERCLA Hazardous Substance List (40 CFR 302.4)

 Not listed.

 SARA 304 Emergency release notification

 Not regulated.

 OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

 Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

/no)*
Yes
Yes
No
Yes
Yes
No
Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-03-2021
Version #	01
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
References	EPA: AQUIRE database US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names Hazard(s) identification: Supplemental information Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Multiple Properties Transport Information: Proper Shipping Name/Packing Group GHS: Classification