

SAFETY DATA SHEET

1. Identification

Product identifier	XF GROUT FILLER
Other means of identification	None.
Recommended use	Filler for grout mixes
Recommended restrictions	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.
Address	2829 Lakeland Drive
	Jackson, MS 39232
	USA
After hours telephone number	1-800-222-7122
Normal work hours telephone number	1-877-982-7667
Website	www.ergonarmor.com
E-mail	sds@ergon.com
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887
Information on operation hours	8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1
	Specific target organ toxicity, single exposure	Category 2
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



	▼
Signal word	Danger
Hazard statement	May cause cancer. May cause damage to organs. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
Response	Get medical advice/attention if you feel unwell. If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PROPRIETARY		N/A	80 - 100
PROPRIETARY		N/A	1 - 5
Other components below re	eportable levels		11.5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Move to fresh air. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Wash off immediately with soap and plenty of water. Remove and isolate contaminated clothing and shoes. Get medical attention if irritation develops and persists.
Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.
Coughing. Prolonged exposure may cause chronic effects. Skin irritation. May cause eye irritation.
Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Static electricity and formation of sparks must be prevented. Do not breathe mist/vapors. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid dust formation. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. To maintain product quality, do not store in heat or direct sunlight. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
PROPRIETARY	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 C Components	FR 1910.1000) Type	Value	Form
PROPRIETARY	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
PROPRIETARY	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide Components	to Chemical Hazards Type	Value	Form
PROPRIETARY	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted fo	r the ingredient(s).	
propriate engineering htrols	Provide adequate ventilation, includin occupational exposure limit is not exc		o ensure that the define
lividual protection measur Eye/face protection	es, such as personal protective equi Chemical respirator with organic vapo		
Skin protection Hand protection	Wear appropriate chemical resistant o	Jloves.	
Other	Use of an impervious apron is recommended.		
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene nsiderations	Observe any medical surveillance requ	uirements.	
Physical and chemica	I properties		
pearance	Solid Granular or powder.		
	•		

Appearance	Solid Granular or powe
Physical state	Solid.
Form	Granular.
Color	Tan or gray.
Odor	Odorless.
Odor threshold	Not available.
рH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.

Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or e	xplosive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	20.3 lb/gal @77°F
Specific gravity	2.4 @25°C
opecific gravity	2.1 @25 C

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Coughing. Direct contact with eyes may cause temporary irritation. Mild skin irritation.		
Information on toxicological ef	fects		
Acute toxicity	Not available.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% ar mutagenic or genotoxic.		
Carcinogenicity	May cause cancer.		

IARC Monographs. Overall	Evaluation of Carcinogenicity		
PROPRIETARY (CAS N/A)			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)			
PROPRIETARY (CAS N/A)	Cancer		
US. National Toxicology Program (NTP) Report on Carcinogens			
PROPRIETARY (CAS N/A)	Known To Be Human Carcinogen.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause damage to organs. Lungs. Kidneys.		
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated exposure. Prolonged exposure may cause chronic effects.		

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Product		Species	Test Results	
XF GROUT FILLER				
Aquatic				
Acute				
Crustacea	EC50	Daphnia	49866.668, 48 hours estimated	
Fish	LC50	Fish	13.3331, 96 hours estimated	
Persistence and degradability	Not inherent	y biodegradable.		
Bioaccumulative potential	No data avail	No data available.		
Mobility in soil	No data avail	able.		
Other adverse effects		erse environmental effects (e.g. ozone de docrine disruption, global warming potenti		

13. Disposal considerations

Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15. Regulatory information	tion		
US federal regulations	This product is a 29 CFR 1910.12	a "Hazardous Chemical" as defined by the OSHA Haz 200.	zard Communication Standard,
Toxic Substances Control	Act (TSCA)	All components of the mixture on the TSCA "active".	8(b) inventory are designated
TSCA Section 12(b) E	xport Notification	n (40 CFR 707, Subpt. D)	
Not regulated.			
CERCLA Hazardous Subst	ance List (40 CFR	R 302.4)	
Not listed.			
SARA 304 Emergency rele	ease notification		
Not regulated. OSHA Specifically Regula	ted Substances (29 CFR 1910.1001-1053)	
PROPRIETARY (CAS N/A	-	Cancer	
	,	lung effects	
		immune system effects	
		kidney effects	
Superfund Amendments and SARA 302 Extremely haza			
Not listed.	andous substance		
SARA 311/312 Hazardous chemical	s Yes		
Classified hazard categories	Carcinogenicity Specific target o	rgan toxicity (single or repeated exposure)	
SARA 313 (TRI reporting) Not regulated.)		
Other federal regulations			
Clean Air Act (CAA) Section	on 112 Hazardous	s Air Pollutants (HAPs) List	
Not regulated.			
	on 112(r) Accider	ntal Release Prevention (40 CFR 68.130)	
Not regulated. Safe Drinking Water Act	Not regulated.		
(SDWA)	Not regulated.		
US state regulations	WARNING: This	product contains a chemical known to the State of	California to cause cancer.
69502.3, subd. (a))		st. Safer Consumer Products Regulations (Cal	. Code Regs, tit. 22,
PROPRIETARY (CAS	5 N/A)		
California Proposition 65			
PROPRIETARY (CAS		date/Carcinogenic substance	
International Inventories	SN/A)	Listed: October 1, 1988	
	Inventory non		On inventory (yes/no)*
Country(s) or region Australia	Inventory nan	tory of Industrial Chemicals (AICIS)	On inventory (yes/no)* Yes
Canada	Domestic Substa		Yes
Canada		ubstances List (NDSL)	No
China		sting Chemical Substances in China (IECSC)	Yes
Europe	•	tory of Existing Commercial Chemical Substances	Yes
Europe		f Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Exi	sting and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemica	als List (ECL)	Yes
New Zealand	New Zealand Inv	ventory	Yes
Philippines	Philippine Inven (PICCS)	tory of Chemicals and Chemical Substances	Yes
Taiwan	Taiwan Chemica	l Substance Inventory (TCSI)	Yes

Country(s) or region Inventory name

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-12-2020
Revision date	06-07-2023
Version #	03
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	Ergon Armor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.