

SAFETY DATA SHEET

1. Identification

Product identifier Other means of identification Recommended use Recommended restrictions	Thinset Filler Not available. Not available. None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Manufacturer	
Company Name Address	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc. 2829 Lakeland Drive Jackson, MS 39232 USA
After hours telephone number	1-800-222-7122
Normal work hours telephone number	1-877-982-7667
Website	www.ergonarmor.com
E-mail	sds@ergon.com
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887
Information on operation hours	8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	May cause cancer.	
Prevention		ive clothing/eye protection/face protection. Obtain

Prevention	Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Response	IF exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	80 - 90
KAOLIN		1332-58-7	10 - 15
TITANIUM DIOXIDE		13463-67-7	0.5 - 1.5
ALUMINIUM OXIDE		1344-28-1	0.4633826508
SILICON DIOXIDE (AMORPHOUS)		7631-86-9	0.0812916977
Aluminum Hydroxide		21645-51-2	0.066511389

Chemical name	Common name and synonyms	CAS number	%
Iron Oxide		1309-37-1	0.0579228313
CARBON BLACK		1333-86-4	0.02
4. First-aid measures			
Inhalation	Move to fresh air. If not breathing, give artificial breathing is difficult, give oxygen. Get medical at		gen by trained personn
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.		
Eye contact	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 1 minutes. Get medical attention.		
Ingestion	Do not induce vomiting without advice from poison control center. Never give anything by mouth a victim who is unconscious or is having convulsions. Get medical attention.		
Most important symptoms/effects, acute and delayed	Not available.		
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Kee Symptoms may be delayed.	p victim warm. Keep vio	ctim under observation
General information	IF exposed or concerned: Get medical advice/att observation. Ensure that medical personnel are a precautions to protect themselves.		
5. Fire-fighting measure	25		
Suitable extinguishing media	Use extinguishing measures that are appropriate environment.	to local circumstances	and the surrounding
Unsuitable extinguishing media	Not available.		
Specific hazards arising from the chemical	Not applicable.		
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.		
Fire-fighting equipment/instructions	In the event of fire, cool tanks with water spray.		
Specific methods	Cool containers exposed to flames with water un	til well after the fire is o	out.
6. Accidental release me	easures		
Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and cloth	ning during clean-up.	
Methods and materials for	Not available.		

Methods and materials for containment and cleaning up

7. Handling and storage

Precautions for safe handling
Conditions for safe storage,
including any
incompatibilitiesDo not breathe dust. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation.Keep container tightly closed. Keep out of reach of children. Store in a cool, dry place. Use care in
handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for A Components	ir Contaminants (29 CFR 1910 Type	0.1000) Value	Form
KAOLIN (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 191	LO.1000)		
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
,		5,	

Components	Туре	Value	Form
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
KAOLIN (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
KAOLIN (CAS 1332-58-7)	TWA	5 mg/m3 10 mg/m3	Respirable. Total
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values		5.	Respirable dust.
-	No biological exposure limits noted f	,	
oosure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica sho be monitored and controlled.		
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates sho be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or othe engineering controls to maintain airborne levels below recommended exposure limits. If exposur limits have not been established, maintain airborne levels to an acceptable level. Ensure adequat ventilation, especially in confined areas.		
lividual protection measure	es, such as personal protective equ	uipment	
Eye/face protection	Goggles/face shield are recommend	ed.	
Hand protection	Wear protective gloves.		
Skin protection			
Other	Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10% or more of this chemical.		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.		
neral hygiene Isiderations	Always observe good personal hygie before eating, drinking, and/or smol remove contaminants.		

9. Physical and chemical properties

Appearance	Not available.
Physical state	Solid.
Form	Not available.
Color	Neutral
Odor	Odorless.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or ex	cplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	400 °F (204.44 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information Specific gravity	0.31 estimated

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Not available.
Conditions to avoid	None under normal conditions.
Incompatible materials	Strong oxidizing agents. Hydrogen fluoride.
Hazardous decomposition products	Oxides of silicon.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Not available.
Inhalation	May cause cancer by inhalation.
Skin contact	Not available.
Eye contact	Harmful in contact with eyes.
Symptoms related to the physical, chemical and	Not available.

toxicological characteristics

Information on toxicological effects

Acute toxicity		
Components	Species	Test Results
Aluminum Hydroxide (CAS	5 21645-51-2)	
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
Other		
LD50	Rat	1100 mg/kg
KAOLIN (CAS 1332-58-7)		
Acute		
Dermal		
LD50	Rat	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
SILICON DIOXIDE (AMOR	PHOUS) (CAS 7631-86-9)	
Acute		
Oral		
LD50	Mouse	> 15000 mg/kg

	Det.	
	Rat	> 22500 mg/kg
* Estimates for product may b	be based on additional compor	nent data not shown.
Skin corrosion/irritation	Not available.	
Serious eye damage/eye irritation	Harmful in contact with eyes	s. None known.
Respiratory or skin sensitizatio	on	
Respiratory sensitization	Not available.	
Skin sensitization		ponent that is capable of being absorbed through intact skin and that productive and developmental effects in laboratory animals.
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	Hazardous by OSHA criteria. Hazardous by WHMIS criteria. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) Cancer Hazard. In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Risk of cancer cannot be excluded with prolonged exposure.	
IARC Monographs. Overall	Evaluation of Carcinogeni	city
CARBON BLACK (CAS 133 Iron Oxide (CAS 1309-37- QUARTZ (CAS 14808-60-7 SILICON DIOXIDE (AMOR	-1)	2B Possibly carcinogenic to humans.3 Not classifiable as to carcinogenicity to humans.1 Carcinogenic to humans.3 Not classifiable as to carcinogenicity to humans.
TITANIUM DIOXIDE (CAS	, ,	2B Possibly carcinogenic to humans.
US. National Toxicology Pr		· •
QUARTZ (CAS 14808-60-7		Known To Be Human Carcinogen.
US. OSHA Specifically Reg	ulated Substances (29 CFR	1910.1001-1050)
Not listed.		
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	Not available.	
	Not available.	
Specific target organ toxicity - repeated exposure		
	Not available.	
- repeated exposure		e harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Components		Species	Test Results
TITANIUM DIOXIDE (CAS 13	463-67-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal considerations

Disposal instructions	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed. SARA 311/312

No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

ALUMINIUM OXIDE (CAS 1344-28-1) CARBON BLACK (CAS 1333-86-4) Iron Oxide (CAS 1309-37-1) KAOLIN (CAS 1332-58-7) QUARTZ (CAS 14808-60-7) SILICON DIOXIDE (AMORPHOUS) (CAS 7631-86-9) TITANIUM DIOXIDE (CAS 13463-67-7) US. New Jersey Worker and Community Right-to-Know Act

ALUMINIUM OXIDE (CAS 1344-28-1) 500 LBS

US. Pennsylvania RTK - Hazardous Substances

ALUMINIUM OXIDE (CAS 1344-28-1) CARBON BLACK (CAS 1333-86-4) Iron Oxide (CAS 1309-37-1) KAOLIN (CAS 1332-58-7) QUARTZ (CAS 14808-60-7) SILICON DIOXIDE (AMORPHOUS) (CAS 7631-86-9) TITANIUM DIOXIDE (CAS 13463-67-7)

US. Rhode Island RTK

ALUMINIUM OXIDE (CAS 1344-28-1)

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (CAS 1333-86-4)	Listed: February 21, 2003
QUARTZ (CAS 14808-60-7)	Listed: October 1, 1988
TITANIUM DIOXIDE (CAS 13463-67-7)	Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

01-27-2015
01-19-2016
)2
$\operatorname{HMIS}\nolimits {\mathbb R}$ is a registered trade and service mark of the NPCA.
כ

References	ACGIH
	EPA: AQUIRE database
	NLM: Hazardous Substances Data Base
	US. IARC Monographs on Occupational Exposures to Chemical Agents
	Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control
	Law, Executive Order No. 19203)
	Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1)
	Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29)
	Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30)
	Korea. Non-Toxic Chemicals List (National Institute of Environment Research (NIER) Public Notice
	No. 1997-10, as amended) Karoa, Observational Chemicals (Ministerial Descent of TCCL Article 6)
	Korea. Observational Chemicals (Ministerial Decree of TCCL Article 6) Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor
	(MOL) Public Notice No. 1986-45, as amended)
	Korea. Prohibited Chemical Substances (TCCL Article 11)
	Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001, as
	amended)
	Korea. Restricted Chemical Substances (TCCL Article 11)
	Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI)
	Korea. Toxic Chemical Control Law (TCCL), pre-1997 List
	Korea. Toxic Chemicals (TCCL Article 10)
	Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14)
	Taiwan. Dangerous Materials (Rules on Hazard Communication of Dangerous Materials and Toxic
	Materials)
	Taiwan. Industrial Precursor Chemicals (Categories and Regulations Governing Inspection and Declaration of Industrial Precursor Chemicals, MOEA Decree No. 87, as amended)
	Taiwan. OELs. (Standards on Workplace Atmosphere of Dangerous and Hazardous Materials)
	Taiwan. Toxic Chemical Substances (TCS) (List of Toxic Chemical Substances announced by the Environmental Protection Administration)
	Taiwan. Toxic Materials (Rules on Hazard Communication of Dangerous Materials and Toxic
	Materials)
	HSDB® - Hazardous Substances Data Bank
	JIS Z 7250: 2005 Safety data sheet for chemical products-Part 1:Content and order of sections
	JCIA GHS Guideline, October 2008
	IARC Monographs. Overall Evaluation of Carcinogenicity
	National Toxicology Program (NTP) Report on Carcinogens
	ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge,
	information and belief at the date of its publication. The information given is designed only as a
	guidance for safe handling, use, processing, storage, transportation, disposal and release and is not
	to be considered a warranty or quality specification. The information relates only to the specific
	material designated and may not be valid for such material used in combination with any other
	materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Product and Company Identification
	Composition / Information on Ingredients: Disclosure Overrides
	Physical & Chemical Properties: Multiple Properties
	Toxicological Information: Toxicological Data
	Ecological Information: Ecotoxicity